

INICIO Plus
TROUT

Declaration		0,35 mm	0,5 mm	0,8 mm	1,1 mm	1,5 mm	2 mm
Crude protein	%	60	58	56	56	54	52
Crude lipid	%	14	15	18	18	21	24
Carbohydrates (NFE)	%	7,1	6,6	9,0	8,9	7,2	8,4
Crude cellulose	%	0,1	0,1	0,1	0,3	0,4	0,8
Ash	%	11,5	11,3	11,3	10,8	11,0	9,6
Total phosphorus (P)	%	2,2	1,7	1,6	1,6	1,4	1,2
Gross Energy	MJ/kg	21,2	21,6	21,8	22,0	22,9	23,6
BioMar's digestible energy*	MJ/kg	18,9	19,3	19,6	19,7	20,0	20,7
Classical digestible energy**	MJ/kg	19,3	19,6	19,8	19,9	20,8	21,3
Typical content of nitrogen (N)	%	9,6	9,3	9,0	9,0	8,6	8,3
Number of pellets per kg - indicative***		---	5470000	2190000	905000	325000	138000


*BioMar digestible energy calculated on proteins, lipids and starch only

**Classical digestible energy calculated on proteins, lipids and NFE

***Figures are ± 10% depending on batches and based on available figures

Environmental impact indicators


Data is based on 24 months rolling average raw material consumption.



Read more: www.biomar.com/en/global/sustainability/impact-parameters

Ecological declaration

The information on ecological values applies to 0,8 mm.



Values stated on the datasheet can vary depending on producing factory and natural variations in raw materials. More information and actual values and ingredients, can be found on the label. The label can be found on the product itself as mandated by EU Regulation. Product contains probiotics.

For further information on the product, please visit our website or ask your sales representative.

Indicative feeding guide (kg feed per 100 kg fish per day)

Fish size grams	Pellet size mm	Temperature (°C)									
		4 °C	6 °C	8 °C	10 °C	12 °C	14 °C	16 °C	18 °C	20 °C	
0,1 - 0,3	0,35	1,19	1,79	2,37	2,91	3,37	3,66	3,73	3,51	2,84	
0,3 - 0,5	0,5	1,11	1,67	2,21	2,72	3,14	3,42	3,49	3,27	2,65	
0,5 - 1	0,8	1,04	1,56	2,07	2,55	2,94	3,20	3,26	3,06	2,48	
1 - 3	1,1	0,93	1,40	1,85	2,27	2,63	2,86	2,91	2,73	2,22	
3 - 8	1,5	0,78	1,17	1,55	1,91	2,21	2,40	2,45	2,30	1,86	
8 - 15	1,5	0,68	1,02	1,35	1,66	1,91	2,08	2,12	1,99	1,61	
15 - 20	2,0	0,64	0,96	1,27	1,57	1,81	1,97	2,01	1,88	1,53	
20 - 30	2,0	0,59	0,88	1,17	1,44	1,66	1,81	1,84	1,73	1,40	
30 - 50	2,0	0,53	0,80	1,06	1,30	1,50	1,63	1,67	1,56	1,27	

Feeding table is indicative and especially for the first days of feeding it is advised to closely monitor the swim-up and feeding behaviour of the fry to avoid overfeeding and thereby reduce feed waste. After the first feeding period the feeding level can gradually be increased. Obtainable feeding levels depend on the conditions in the farm. Contact your local BioMar representative for further advice.

Recommended storage of feed is in dry and cool place, protected from rain, direct sunlight and pests.
Best-before date: refer to label.